

Mysterious Cats

By Yoguiana



Motorbike with Sidecar, Dog and Bone

Crochet Pattern

by MysteriousCats

Finished Size: Bike is 17 cm / 6.7" long and 12 cm / 4.7" high
Dog is 12.5 cm / 5" tall
Sidecar is 11.5 cm / 4.5" and 8 cm / 3.2" high
Bone is 10 cm / 4" long

Materials:

- Any worst weighted yarn in green, black, white, cream, grey, orange and blue
- Hook G-6 (4mm)
- Needle for joining parts
- Polyfill for the filling
- pins
- 1 small button 0.8 cm / 0.3" diameter

Abbreviations (USA):

ch: chain
sc: single crochet
st: stitch
sl st: slip stitch
sc2tog: single crochet 2 together
rnd: round

Notions

This pattern will require some yarn changing and I would like to explain how I usually do it. When I say "change yarn", I would do it in the stitch before, pull up the first loop for a single crochet in the old color, then, pull the new color through the last two loops to complete that single crochet. See in the picture below.



Tyres

Make 2.

With grey yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: Using back loop only, sc around. (6)

Rnd 3: sc in each st around. (6)

Rnd 4: Using only the front loop, 2 scs in each st around. (12)

Rnd 5: *sc in next st, 2 scs in next st*. Repeat from * around. Change to the white yarn.(18)

Rnd 6: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)

Rnd 7: *sc in next 3 sts, 2 scs in next st*. Repeat from * around. Change to the black yarn. (30)

Rnd 8: *sc in next 4 sts, 2 scs in next st*. Repeat from * around. (36)

Rnd 9: *sc in next 5 sts, 2 scs in next st*. Repeat from * around. (42)

Rnd 10: Using only the back loop, sc in each st around. (42)

Rnd 11 – Rnd 12: Sc in each st around. (42)

Rnd 13: Using only the back loop, sc in each st around. (42)

Rnd 14: *sc in next 5 sts, sc2tog*. Repeat from * around. Change to the white yarn. (36)

Rnd 15: *sc in next 4 sts, sc2tog*. Repeat from * around. (30)

Rnd 16: *sc in next 3 sts, sc2tog*. Repeat from * around. Change to the grey yarn. (24)

Rnd 17: *sc in next 2 sts, sc2tog*. Repeat from * around. (18)

Rnd 18: *sc in next st, sc2tog*. Repeat from * around. (12) Stuff the tyre with the filling.

Rnd 19: sc2tog around. (6)

Rnd 20: Using only the front loop, sc in each st around. (6)

Rnd 21: sc in each st around. Sl st in next st. Fasten off, leaving enough yarn to stitch the tyre to the front or back bar.

Tank

With green yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. (18)

Rnd 4: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)

Rnd 5 – Rnd 14: Sc in each st around. (24)

Rnd 15: *sc in next 2 sts, sc2tog*. Repeat from * around. (18)

Rnd 16: Sc in each st around. (18)

Rnd 17: *sc in next st, sc2tog*. Repeat from * around. (12)

Rnd 18 – Rnd 19: Sc in each st around. (12) Stuff tank with the filling.

Rnd 20: sc2tog around. (6)

Rnd 21: sc2tog twice. Sl st in next st and fasten off.

Engine

With grey yarn.

Rnd 1: sc 4 in [magic ring](#). (4)

Rnd 2: 3 scs in each st around. (12)

Rnd 3: Using back loop only, sc in each st around. (12)

Rnd 4 – Rnd 9: Sc in each st around. (12) Stuff engine with the filling.

Rnd 10: sc3tog around. (4) Sl st in next st and fasten off, leaving just enough yarn to stitch close the engine.



Cylinder

With grey yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3: Using back loop only, sc in each st around. (12)

Rnd 4 – Rnd 6: Sc in each st around. (12) Stuff carburettor with the filling. Sl st in next st and fasten off, leaving enough yarn to stitch carburettor to the engine.

Front Bars

Make 2.

With grey yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: Using back loop only, sc in each st around. (6)

Rnd 3 – Rnd 18: Sc in each st around. (6) Sl st in next st and fasten off, leaving enough yarn to stitch front bar to the handle bar.

Back Bars

Make 2.

With grey yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: Using back loop only, sc in each st around. (6)

Rnd 3 – Rnd 12: Sc in each st around. (6) Sl st in next st and fasten off, leaving enough yarn to stitch close the opening left and also to stitch the back bar to the tank. Stuff quite tightly with the help of the back of your hook.

Seat

With orange yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. (18)

Rnd 4: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)

Rnd 5 – Rnd 6: Sc in each st around. (24)

Rnd 7: *sc in next 2 sts, sc2tog*. Repeat from * around. (18)

Rnd 8: *sc in next st, sc2tog*. Repeat from * around. (12) Sl st in next st. Fasten off and leave enough yarn to stitch close seat opening and seat to back tyre.

Headlight

With white yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. Change to the green yarn. (12)

Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. (18)

Rnd 4: Using back loop only, sc in each st around. (18)

Rnd 5: Sc in each st around. (18)

Rnd 6: *sc in next st, sc2tog*. Repeat from * around. (12)

Rnd 7: sc2tog around. (6) Stuff headlight with the filling.

Rnd 21: sc2tog twice. Sl st in next st and fasten off, leaving enough yarn to attach headlight to tank.

Mudguard / Fender

Make 2.

With green yarn ch 17.

Using back loop only, sc in the 2nd ch from the hook and in every sc across. (16)

Continue under using the front loop, 2 scs in next st, sc in the next 14 sts, 2scs in the next st. See picture below.



Now working on rounds.

Rnd 1: 2scs in next st, sc in next 14 sts, 2scs in next 3 sts, sc in next 14 sts, 2scs in next 2 sts. Sl st and fasten off, leaving enough yarn to attach mudguard/ fender to the tyre.

Handle Bar

With black yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: Using back loop only, sc in each st around. (6)

Rnd 3 – Rnd 5: Sc in each st around. (6) Change to grey yarn.

Rnd 6 – Rnd 21: Sc in each st around. (6) Change to black yarn.

Rnd 22 – Rnd 25: Sc in each st around. (6) Sl st and leave just enough yarn to stitch close the handle bar.

Sidecar

With green yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. (18)

Rnd 4: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)
Rnd 5: *sc in next 3 sts, 2 scs in next st*. Repeat from * around. (30)
Rnd 6: Sc in each st around. (30)
Rnd 7 – Rnd 12: 2scs in next st, sc in every st around. (in the end of round 12, you will have 36 sts)
Rnd 13 – Rnd 15: Sc in each st around. (36)

Now we will start working on rows.

Row 1: Sc in next 30 sts. Turn.
Row 2 – Row 9: sc in next 24 sts. Turn.

Ch 12 and sl st to the 1st st on the row, forming a ring. Ch1. Now back to work in rounds.

Rnd 16: Sc in each st around. (36)
Rnd 17: *sc in next 4 sts, sc2tog*. Repeat from * around. (30)
Rnd 18: *sc in next 3 sts, sc2tog*. Repeat from * around. (24)
Rnd 19: *sc in next 2 sts, sc2tog*. Repeat from * around. (18)
Rnd 20: *sc in next st, sc2tog*. Repeat from * around. (12)
Rnd 21: sc2tog around. (6)
Rnd 22: sc2tog 3 times. (3) Sl st in next st and fasten off.

Sidecar tyre

With grey yarn.

Rnd 1: sc 6 in [magic ring](#). (6) Change to white yarn.
Rnd 2: 2 scs in each st around. (12)
Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. Change to the black yarn.(18)
Rnd 4: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)
Rnd 5: *sc in next 3 sts, 2 scs in next st*. Repeat from * around. (30)
Rnd 6: Using only the back loop, sc in each st around. (30)
Rnd 7 – Rnd 8: Sc in each st around. (30)
Rnd 9: Using only the back loop, sc in each st around. (30)
Rnd 10: *sc in next 3 sts, sc2tog*. Repeat from * around. (24)
Rnd 11: *sc in next 2 sts, sc2tog*. Repeat from * around. (18)
Rnd 12: *sc in next st, sc2tog*. Repeat from * around. (12) Stuff the tyre with the filling.
Rnd 13: sc2tog around. (6)
Rnd 14: sc2tog twice. Sl st in next st. Fasten off, leaving enough yarn to stitch the tyre to the sidecar.



Now it's time for our driver, Marlon!

Marlon's head

With cream yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. (18)

Rnd 4: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)

Rnd 5: Using front loop only, 2scs in next st, sc in each st around. (25)

Rnd 6: 2scs in next st, sc in each st around. (26)

Rnd 7: 2scs in next st, sc in each st around. (27)

Rnd 8 – Rnd 10: Sc in each st around. (27)

Rnd 11: *sc in next st, sc2tog*. Repeat from * around. (18)

Rnd 12: *sc in next st, sc2tog*. Repeat from * around. (12) Fill head with stuffing.

Rnd 13: sc2tog around. (6)

Rnd 14: sc2tog around (3). Sl st in next st and fasten off.



Marlon's Ears

Make 2.

With cream yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3 – Rnd 9: Sc in each st around. (12)

Rnd 10: sc2tog around. (6) Sl st in next st. Fasten off leaving enough yarn to attach ear to head.

Marlon's Body

With cream yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. (18)

Rnd 4: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)

Rnd 5 – Rnd 11: Sc in each st around. (24)

Rnd 12: *sc in next st, sc2tog*. Repeat from * around. (18)

Rnd 13: *sc in next st, sc2tog*. Repeat from * around. (12) Fill body with stuffing.

Rnd 14: sc2tog around. (6)

Rnd 15: sc2tog around (3). Sl st in next st and fasten off.

Marlon's Legs

Make 2.

With cream yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3 – Rnd 13: Sc in each st around.

(12) Sl st in next st. Fasten off, leaving enough yarn to attach leg to body.



Marlon's Arms

Make 2.

With cream yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: *2scs in next st, sc in next 2 sts*. Repeat from * around. (8)

Rnd 3 – Rnd 9: sc in each st around. Sl st in next st. Fasten off, leaving enough yarn to attach arm to body.

Marlon's Tail

With cream yarn ch 6.

Row 1: Using back loop only, sc in the 2nd ch from hook and in every st across. (5)

Fasten off and leave enough yarn to attach tail to body.

Helmet

With orange yarn.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3: *sc in next st, 2 scs in next st*. Repeat from * around. (18)

Rnd 4: *sc in next 2 sts, 2 scs in next st*. Repeat from * around. (24)

Rnd 5: *sc in next 3 sts, 2 scs in next st*. Repeat from * around. (30)

Rnd 6: sc in each st around. (30)

Now working on rows.

Row 1 – Row 5: sc in the next 23 sts. Turn.

Ch 7 and sl st to 1st st of last row to form a ring.

Working on rounds again.

Rnd 7 – Rnd 9: sc in each st around. Sl st in the next st and fasten off.

Bone

With white yarn.

Make 2.

Rnd 1: sc 6 in [magic ring](#). (6)

Rnd 2: 2 scs in each st around. (12)

Rnd 3 – Rnd 5: sc in each st around. Sl st in next st and fasten off.

Join together the 2 pieces as show in the picture below. Join with a sl st and 2 scs. Then sc2tog

around the whole piece. We'll have 12 sts.



Rnd 6 – Rnd 16: sc in each st around. (12)

Rnd 17: 2scs in every st around. (24) Fill bone with stuffing.

Rnd 18: sc in the next 6 sts, skip 12 sts, sc in the next 6 sts.

Working first on one side of the bone.

Rnd 19 – Rnd 20: sc in each st around. (12)

Rnd 21: sc2tog around. (6) Sl st and fasten off, leaving just enough yarn to stitch close the opening.

Join with a sl st to 2nd part of the bone.

Rnd 1 – Rnd 2: Sc in each st around. (12)

Rnd 3: sc2tog around. (6) Fill with stuffing. Sl st and fasten off, leaving just enough yarn to stitch close the opening.

Dog Assembling

Weave in all ends that won't be used for attaching.

With the needle, blue yarn and black yarn, stitch eyes and nose. They should be 3 rounds apart and the eyes should be 3 stitches apart. The nose will be right in the middle towards the upper part.

Now, flatten the ears and attach them to the head. I stitched them 2 rounds from the eyes and 6 stitches apart.

Stitch arms, legs and tail according to pictures.



Bike Assembling

Let's start with the handle bar "paw holders". With the black yarn, join with a sl st to the 2nd round on the tip of the bar. See picture.

Ch 6 and sl to the opposite side where you joined. Weave in ends. Repeat to the other side.



A tip: Use the pins to position parts in place so have a better idea where to attach them.

Now attach, the mudguards/ fenders to the tyres.

Next attach the cylinder to the engine.

Stitch front handles to the tank. See picture. They should stick a little bit up, so we can attach the handle bar later. Also the open part of the bar "looking up".



Now attach one tyre to the front handles.

Attach engine/ cylinder combo to tank. Start stitching it to the 10th round of the tank.

Attach tip of the tank to back tyre.

Next, back bars to tyres and then bars to tank.

Next, seat should be flatten, opening should be closed. Then attach it between the tank and the back tyre.

For the chain that goes from the engine to the back tyre, with grey yarn, join with a sl st to the top of the engine. Ch 22. Go around the connection between back tyre and back bar and st st to the bottom tip of engine.



Headlight should be attached to the front of the tank.

Attach sidecar tyre to sidecar.

Attach button to back bar.

Attach handle bar to front bars. (use the pins to find the right angle)

Ribbon around bone and we are ready to roar around! And don't forget your helmet!

Any question, please don't hesitate in contacting me at ana@coquine.cc

Please visit my shop for more patterns: [MysteriousCats shop at Etsy](#)

This design is for home/ domestic use only. Not to be used for sale/ commercial use.